

	MOROCCO	NOTAM LIST Series: A
	EAD	
	AERONAUTICAL INFORMATION SERVICES	26 AUG 2009
THE FOLLOWING NOTAM SERIES A WERE STILL VALID AT 06:10 ON 26 AUG 2009 NOTAM NOT INCLUDED HAVE EITHER BEEN CANCELLED, TIME EXPIRED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN THE AIP MOROCCO		

FIR

GMMM - CASABLANCA FIR

- A0019/09** NOTAMN OBST
 Q)GMMM/QOBCE/IV/M/E/000/999/2736N01210W075
 A)GMMM B)0901121735 C)PERM
 E)PRESENCE OF PYLONS IN THE VICINITY OF THE AIRPORTS:
 TANTAN-SMARA-LAAYOUN AS FOLLOWS
 COORDS GPS HEIGHT
 TAN TAN:282627.3N 0110920.4W 60M
 SMARA: 264514.4N 0114019.1W 30M
 LAAYOUN:271031.9N 0131202.9W 60M
 LAAYOUN:270906.0N 0131311.0W 25M
 OBS: OBST LIGHTING OF PYLONS NOT YET OPR
- A0231/09** NOTAMN ATS ROUTE
 Q)GMMM/QARXX/IV/NBO/E/000/999/3149N00824W375
 A)GMMM B)0904171204 C)PERM
 E)REF AIRAC AMDT N 03/09 WEF 09APR09 PAGE ENR 3.1-19 PARAGRAPH 6
 R-UR722 (AMSEL-LAKAM)
 READ:CDR1 INSTEAD OF CDR2
 ADD:ALTN ROUTE :OSLAD/R-UR724 IBALU DCT CBA
 CORRECT AIP MAROC.
- A0589/09** NOTAMR A0462/09 CHECKLIST
 Q)GMMM/QKKKK/K/K/K/000/999/3149N00823W999
 A)GMMM B)0908031034 C)0909022359EST
 E)CHECKLIST
 YEAR=2008 1088
 YEAR=2009 0019 0030 0031 0215 0217 0231 0262 0357 0361 0369 0383
 0393 0405 0419 0441 0453 0457 0464 0481 0495 0508 0512 0516 0522
 0526 0527 0529 0548 0552 0553 0556 0560 0568 0571 0577 0580 0581
 0582 0583 0584 0585 0586 0587 0588
 LATEST PUBLICATIONS
 AIP SUPPLEMENT 02 16 JUL 09
 AIP AMENDMENT 03 20 JUL 09
 AIRAC AIP AMENDMENT ... 08 16 JUL 09 EFFECTIVE 27 AUG 09
 AIC INTERNATIONAL A04 16 JUL 09
 AIC NATIONAL B01 31 DEC 08
- A0621/09** NOTAMN IFR APCH PROC
 Q)GMMM/QPITT/I/NBO/E/000/999/3536N00519W005
 A)GMMM B)0908131549 C)0909102359
 E)NOTAM TRIGGER- AIC N 04/09 SERIES A EFF 16-JUL-2009:
 IMPLEMENTATION OF RNAV NON-PRECISION INSTRUMENT APPROACH PROCEDURES
 BASED ON GNSS
- A0645/09** NOTAMR A0642/09 OVERFLYING OF
 Q)GMMM/QROLP/IV/NBO/W/000/460/3149N00824W375
 A)GMMM B)0908251603 C)0908282359
 E)OVERFLYING PROHIBITED TO ALL CIVIL AIRCRAFT OVER TETOUAN CITY.
 SCHEDULED TRAFFIC ABOVE FL200 ARE NOT AFFECTED.
 DEP/ARR GMTN WILL BE COORDINATED BTN APP/GMTN AND ACC CASABLANCA
 F)SFCG)FL460
- A0646/09** NOTAMR A0643/09 OVERFLYING OF

Q)GMMM/QROLP/IV/NBO/W/000/460/3149N00824W375
A)GMMM B)0908251604 C)0908282359
E)OVERFLIGHT PROHIBITED ALL CIVIL AIR TRAFFIC ROUTE TETOUAN
CITY/FNIDEK CITY
SCHEDULED TRAFFIC ABOVE FL200 NOT AFFECTED.
DEP/ARR GMTN WILL BE COORDINATED BTN APP/GMTN AND ACC CASABLANCA
F)SFCG)FL460

AERODROMES

GMAT - TAN-TAN/PLAGE BLANCHE

A0217/09 NOTAMN AERODROME
Q)GMMM/QFAHW/IV/NBO/A/000/999/2827N01109W005
A)GMAT B)0904101908 C)PERM
E)INSTALLATION OF PYLON:
COORD WGS84: 282638N-0110926W
-ALTITUDE GROUND : 193M
-HEIGHT PYLON : 36M

GMFF - FES/SAISS

A0623/09 NOTAMN AERODROME
Q)GMMM/QFAHX/IV/BO/A/000/999/3356N00458W005
A)GMFF B)0908161050 C)0908302359
E)RWY BIRD CONCENTRATION

A0628/09 NOTAMN IFR APCH PROC
Q)GMMM/QPITT/I/NBO/A/000/999/3356N00458W005
A)GMFF B)0908180952 C)0909102359
E)NOTAM TRIGGER - PERM AIRAC AIP AMDT 08/09 WEF 27/08/09
MODIFICATION IAC ILS RWY 27
SLOPE GP/DME: 3 DEGREES INSTEAD OF 2,87 DEGREES

A0630/09 NOTAMN IFR APCH PROC
Q)GMMM/QPIAW/I/NBO/A/000/999/3356N00459W005
A)GMFF B)0908190700 C)0908272359
E)REF AIP MAROC - AD2 GMFF-25 WEF 07MAY09 : PROCEDURE ILS RWY27 IS
SUSPENDED

A0636/09 NOTAMR A0631/09 IFR APCH PROC
Q)GMMM/QPICR/I/NBO/A/000/999/3356N00458W005
A)GMFF B)0908191900 C)0908270001
E)REF AIRAC AIP AMDT 08/09 WEF 27/08/09 PAGE AD2 GMFF 37-2 IAC ILS
RWY 27: PROCEDURE IN TEST PHASE
ELECTRONIC COPY OF THE PROCEDURE IS AVBL ON WEBSITE
MAROC : WWW.SIA-AVIATION.GOV.MA

GMFK - ERRACHIDIA/MOULAY ALI CHERIF

A0639/09 NOTAMN AERODROME
Q)GMMM/QFAHW/IV/NBO/A/000/999/3157N00424W005
A)GMFK B)0908200001 C)0910102359
E)WIP FOR DELIMITATION OF CRITIC AREAS FOR ILS AT ERRACHIDIA AIRPORT.
MEN AND EQPT ROUND RWY, CLEARED 15MIN PRIOR TO EACH MOVEMENT.
CAUTION RECOMMENDED.

GMFO - OUJDA/ANGADS

A0453/09 NOTAMR A0257/09 AERODROME
Q)GMMM/QFAHX/IV/BO/A/000/999/3447N00156W005
A)GMFO B)0906291421 C)0908312359
E)CONCENTRATION OF BIRDS ON SURROUNDINGS OF MOVEMENT AREA

A0586/09 NOTAMR A0359/09 OBST
Q)GMMM/QOBCE/IV/M/A/000/999/3447N00156W005
A)GMFO B)0907311600 C)0909302359

E)OBSTACLE ERECTED, SECURITY CAMERA PYLON
-PSN: OVER CONSTRUCTION WORKS OF TERMINAL 2 AND AT 90M NORTH OF ACFT
PARKING AREA
-HEIGHT:18 M
-MARKED)

A0587/09 NOTAMR A0358/09 **AIS**
Q)GMMM/QOAXX/IV/NBO/A/000/999/3447N00156W005
A)GMFO B)0907311600 C)0909302359
E)SYSTEM SITATEX OUDOPXH OUT OF SERVICE.

A0591/09 NOTAMN
Q)GMMM/QMRLC/IV/NBO/A/000/999/3447N00156W005
A)GMFO B)0908031646 C)0909022359
E)REF AIRAC AMDT N 07/09 WEF 30JUL/09
RWY GMFO 13/31 CLOSED FOR GENERAL AVIATION

GMME - RABAT/SALE

A0495/09 NOTAMR A0493/09 **IFR APCH PROC**
Q)GMMM/QPICH/I/NBO/A/000/999/3403N00645W005
A)GMME B)0907111535 C)0908262359
E)REF: PROCEDURE TITLED AD2GMME-23 WEF 12 FEB 2009. DUE TO
DISPLACEMENT OF LOCALIZER RS OF ILS RWY 21, FOLLOWING PARTS OF
INSTRUMENT APPROACH HAVE BEEN MODIFIED:
PRECISION APPROACH:
-DISTANCE FAP-THR (RWY21) WILL BE OF 7,6NM INSTEAD OF 7,7NM.
-AFTER ACCELERATING, TURN RIGHT AND GO BACK TO RADIONAVIGATION AID
(SBI) AT ALTITUDE 2700FT AND ATC INSTRUCTIONS INSTEAD OF RIGHT TURN
AND FOLLOW MAGNETIC ROUTE 037 DEGREES NON PRECISION APPROACH (ONLY
LOCALIZER)
-DISTANCE FAF-MAPT WILL BE OF 6.6NM INSTEAD OF 6.8NM
-MAPT WILL BE AT 1NM DISTANCE FROM THR (RWY 21) INSTEAD OF 0.9NM.
-OCA/H CAT A, B, C AND D VALUES WILL BE AS FOLLOWS: 630FT/390FT
INSTEAD OF 540FT/300FT.
RMK: AN ELECTRONIC COPY OF OFFICIAL VERSION OF IAC ILS RWY 21 WEF 27
AUG 2009 (ON TEST PHASE) CAN BE DOWNLOADED FROM SITE SIA-MAROC:
WWW.ONDA.MA/SIA-MAROC

A0553/09 NOTAMN
Q)GMMM/QMRHW/IV/NBO/A/000/999/3403N00645W005
A)GMME B)0907300900 C)0909301900
E)WORK OF GARNISHING AND RAKING OF THE JOINTS OF THE CONCRETE SURFACE
OF THE RUNWAY. EVACUATION OF THE RWY 15MN IN ADVANCE.
PRESENCE OF THE PEOPLE AND MACHINES. CTN ADVISED.

A0626/09 NOTAMR A0419/09 **AERODROME**
Q)GMMM/QFAHW/IV/NBO/A/000/999/3403N00645W005
A)GMME B)0908171425 C)0908311600
D)0830-1600
E)GRASS CUTTING WIP ON TWY, MOVEMENT AREA AND RWY.
PRESENCE OF MEN AND EQUIPMENT WHICH WILL VACATE 15 MIN BEFORE EACH
MOVEMENT. FURTHERMORE, THERE ARE BIRDS AT THE AERODROME. CAUTION
ADVISED.

GMMH - DAKHLA

A0215/09 NOTAMN **FUEL**
Q)GCCC/QFUCS/IV/NBO/A/000/999/2343N01556W005
A)GMMH B)0904101612 C)PERM
E)FUEL 100LL AVBL. DELIRIVERY BY TRUCK, EQUIPED WITH FILTER AND
AND VOLUME METER

A0369/09 NOTAMN **OBST**
Q)GCCC/QOBXX/IV/M/AE/000/999/2343N01556W005
A)GMMH B)0906011536 C)PERM
E)REF GMMH AD2-10-1-B (AERODROME OBSTACLES IN THE APPROACH AND TAKEOFF
PATHS):
WATER TOWER LIT AT NIGHT
CORRECT AIP MAROC

A0383/09 NOTAMN **AERODROME**
Q)GCCC/QFAHW/IV/NBO/A/000/999/2343N01556W005
A)GMMH B)0906031527 C)0909022359
E)WIP ON LIGHTING AT AIRPORT DAKHLA:
TRENCH DIGGING ALONG MOVEMENT AREA:
-DISTANCE FROM RWY EDGE 10M, FROM TAXIWAYS AND TRAFFIC AREA 12M.
-DEPTH 60CM.
-WIDTH 40CM.
MEN AND EQPT WILL VACATE THE AREA 15MIN BEFORE EACH ACFT OPERATION.
CAUTION ADVISED

A0393/09 NOTAMN **OBST**
Q)GCCC/QOBCE/IV/M/A/000/999/2343N01556W005
A)GMMH B)0906041414 C)PERM
E)OBST ERECTED. NEW VHF ANTENNA
HGT :25M
MARKED DAY AND NIGHT
COORDINATES 234243N 0155539W

A0634/09 NOTAMN **PARKING AREA**
Q)GCCC/QMKXX/IV/BO/A/000/999/2343N01556W005
A)GMMH B)0908181322 C)0909172359
E)02 PARKING LIGHTING PROJECTORS SUSPENDE HGT 23M.COORD:
(N234210.4 W0155553.1)
(N234212.6 W0155548.5)
CORRECT AIP PART AD2-10

A0635/09 NOTAMN **OBST**
Q)GCCC/QOBCE/IV/NBO/A/000/999/2343N01556W005
A)GMMH B)0908181328 C)0911172359
E)INSTALLATION 05 SEARCHLIGHT MASTS HGT 24M LIGHTED DAY AND NIGHT.
COORDINATES:
PYLON 1:N234211.5 W0155547.2
PYLON 2:N234210.5 W0155553.6
PYLON 3:N234249.8 W0155542.7
PYLON 4:N234251.8 W0155541.7
PYLON 5:N234248.9 W0155537.4
CORRECT AIP PART AD2-10

A0647/09 NOTAMN **MOVEMENT AREA**
Q)GCCC/QMAHW/IV/B/A/000/999/2343N01556W005
A)GMMH B)0908260900 C)0909041600
D)0900-1600
E)WIP GRASS CUTTING ON MANOEUVRING AREA
PRESENCE OF MEN AND EQUIPMENT WILL VACATE WITH 15 MINUTES PRIOR
NOTICE OF EACH MOVEMENT.
CAUTION RECOMMENDED

GMMI - ESSAOUIRA/MOGADOR INTL

A0262/09 NOTAMN **AERODROME**
Q)GMMM/QFAHW/IV/NBO/A/000/999/3124N00941W005
A)GMMI B)0904301258 C)PERM
E)AFTER REINFORCEMENT WORKS OF MOVEMENT AREA AT ESSAOUIRA MOGADOR AD,
THESE ARE THE NEW MOVEMENT AREA CHARACTERISTICS:
-RWY 16/34 : PCN 53/F/B/W/T
-TWY N ET S : PCN 58/F/B/W/T
-PRKG A1 AND A2: PCN 48/F/B/W/T
SURFACE :BITUMINOUS ASPHALT
CORRECT AIP MOROCCO

GMMN - CASABLANCA/MOHAMMED V

A0457/09 NOTAMR A0192/09 **AERODROME**
Q)GMMM/QFAHW/IV/NBO/A/000/999/3322N00735W005
A)GMMN B)0906301059 C)0909302359
E)GRASS CUTTING WIP ON MA AND VICINITY. PRESENCE OF MEN AND MACHINERY.
CTN ADVISED, FOLLOW ATC INSTRUCTIONS

A0585/09 NOTAMR A0263/09 **ACFT STANDS**

Q)GMMM/QMPLC/IV/BO/A/000/999/3322N00735W005
A)GMMN B)0907311435 C)0910312359
E)PARKING POSITIONS C1 TO C11 CLOSED DUE TO REFURBISHMENT AND
EXTENSION OF TERMINAL 1.
FOLLOW ATC INSTRUCTIONS

A0625/09 NOTAMN **ILS DME**

Q)GMMM/QIDCS/I/NBO/A/000/999/3322N00735W005
A)GMMN B)0908171219 C)0908302030
D)0830-2030
E)DUE INSTALLATION WIP OF INSTRUMENT LANDING SYSTEM ILS/DME ON RWY 17R,
MEN AND EQPT ON RWY SHOULDERS, 150M FROM RWY, CAUTION RECOMMENDED.
FOLLOW TWR INSTRUCTIONS

GMMX - MARRAKECH/MENARA

A1088/08 NOTAMR A0745/08 **OBST**

Q)GMMM/QOBCE/IV/M/A/000/999/3137N00803W005
A)GMMX B)0811251355 C)PERM
E)TWO MASTS ERECTED WEST OF AD AS FLW:
1ST MAST :
HGT 30M/ALTITUDE 464,19M
DISTANCE TO RCL: 485M
DISTANCE TO THR 10 : 1016M
2ND MAST :
HGT 30M/ALTITUDE 466,93M
DISTANCE FROM RCL: 485M
DISTANCE FROM THR 10 : 903M
CORRECT AIP MAROC

A0030/09 NOTAMN **AERODROME**

Q)GMMM/QFAHW/IV/B/A/000/999/3137N00803W005
A)GMMX B)0901250700 C)PERM
E)4 LIGHTING POSTS ERECTED, LGT DAY AND NIGHT, HGT 30 METERS ON SOUTH
OF THRESHHOLD RWY 28 WITH FLW COORD:
313606.86N 0080102.23W ALT:475,66M
313607.12N 0080106.58W ALT:474,71M
313607.40N 0080109.80W ALT:474,42M
313607.70N 0080113.25W ALT:474,31M

A0031/09 NOTAMN **OBST**

Q)GMMM/QOBCE/IV/M/A/000/999/3137N00803W005
A)GMMX B)0901221453 C)PERM
E)TWO LIGHT PYLONS HGT 20M WITH FOLLOWING COORDINATES:
-3136 29,20N - 00801 02,71W
-3136 28,63N - 00801 08,85W
DAY AND NIGHT LIGHTING.
CORRECT AIP MAROC

A0526/09 NOTAMR A0314/09
Q)GMMM/QMRHW/IV/NBO/A/000/999/3137N00803W005
A)GMMX B)0907201356 C)0908312359
E)WIP INSTALLATION OF NIGHT LIGHTING:
- OF RCL
- OF TDZ
- OF CIRCULATION AREAS
- OF SIGNS
PRESENCE OF PEOPLE AND EQUIPMENT WILL VACATE WITH 5 MINUTES ADVANCE
NOTICE BEFORE EACH FLIGHT.
CAUTION RECOMMENDED
FOLLOW ATC INSTRUCTIONS

A0548/09 NOTAMN **TWY**

Q)GMMM/QMXCS/IV/NBO/A/000/999/3137N00803W005
A)GMMX B)0907280600 C)PERM
E)STARTUP OF THE PARALLEL TAXIWAY (FACE OF THE STATIONS OF
PARKING) AND OF THE NEW STRAPS OF JUNCTION WITH THE TRACK
OF TAKE-OFF IN ACCORDANCE WITH THE PHASE 2 OF ANNEX 2 OF AIP SUP
02/09
FOLLOW ATC INSTRUCTIONS

A0583/09 NOTAMR A0576/09 **TWY**
Q)GMMM/QMXCS/IV/M/A/000/999/3137N00803W005
A)GMMX B)0908010001 C)PERM
E)STARTUP OF THE PARALLEL TAXIWAY AND THE STRAPS OF JUNCTION
WITH THE TAKE-OFF RUNWAY IN ACCORDANCE WITH PHASE 1 OF APPENDIX 1
AIP SUP NR 02/09 AVAILABLE ON THE WEB SITE WWW.SIA-AVIATION.GOV.MA)

A0616/09 NOTAMN **AERODROME**
Q)GMMM/QFAHW/IV/NBO/A/000/999/3137N00803W005
A)GMMX B)0908131132 C)0909132359
E)DUE TO RWY LIGHTS WORKS, TRENCHES DIG WORKS WILL TAKE PLACE
CLOSE TO RWY. PRESENCE OF MEN AND MACHINES THAT SHALL BE REMOVED 5
MINUTES PRIOR TO ACFT MOVEMENT
CAUTION ADVISED. FOLLOW ATC INSTRUCTIONS

GMMZ - OUARZAZATE

A0512/09 NOTAMN **DECLARED DIST**
Q)GMMM/QMDCH/IV/NBO/A/000/999/3056N00654W005
A)GMMZ B)0908010700 C)0908312200
D)0700-2200
E)DUE TO REPAIR WORK, FIRST 900M RWY 12 CLSD AND THR 12
DISPLACED 900 METERS.
DECLARED DISTANCES:
RWY12 TORA 2100 TODA 2420 ASDA 2100 LDA 2100
RWY30 TORA 2100 TODA 2100 ASDA 2100 LDA 2100
PEOPLE AND EQUIPMENT PRESENT, WILL MOVE 15 MIN BEFORE EACH AIRCRAFT
MOVEMENT

GMTA - AL HOCEIMA/CHERIF EL IDRISSE

A0481/09 NOTAMN **AERODROME**
Q)GMMM/QFAHX/IV/BO/A/000/999/3511N00350W005
A)GMTA B)0907071415 C)0910052359
E)PRESENCE OF SEA GULLS AROUND RWY AND MANEUVERING AREA. CAUTION
RECOMMENDED

GMTN - TETOUAN/SANIAT RMEL

A0361/09 NOTAMN **AERODROME**
Q)GMMM/QFAHX/IV/BO/A/000/999/3536N00519W005
A)GMTN B)0905311908 C)0908301800
E)BIRD (GULLS) CONCENTRATION AROUND RWY

A0508/09 NOTAMN **OBST**
Q)GMMM/QOBCE/IV/M/A/000/999/3536N00519W005
A)GMTN B)0907141033 C)PERM
E)PRESENCE OF TWO OBSTACLES NON MARKED (BUILDINGS):
1-ALT AMSL 48 M: DISTANCE 1152M FROM THR/QFU 06 AND AT 150 M FROM
RWY CENTRE LINE
2-ALT AMSL 46 M: DISTANCE 985 M FROM THR/QFU 06 AND AT 150 M FROM
RWY CENTRE LINE

A0622/09 NOTAMN **IFR APCH PROC**
Q)GMMM/QPITT/IV/NBO/A/000/999/3536N00519W005
A)GMTN B)0908131554 C)0909102359
E)NOTAM TRIGGER- PERM AIRAC AIP AMDT 08/09 WEF 27/08/09
MISE EN OEUVRE IAC RNAV DE NON PRECISION BASEE SUR LE GNSS RWY24

GMTT - TANGER/IBN BATOUTA

A0405/09 NOTAMN **ACFT STANDS**
Q)GMMM/QMPCS/IV/M/A/000/999/3543N00555W005
A)GMTT B)0906141200 C)PERM
E)NEW PLAN OF ACFT STANDS. ACFT STANDS WILL HAVE NUMBERS AS FLW:
NR6, NR7, J1, J2, 3, 4, 5, 6E, 7E.

A0441/09 NOTAMR A0439/09 **AERODROME**
Q)GMMM/QFAHW/IV/NBO/A/000/999/3543N00555W005

A)GMTT B)0906191800 C)0909151900
D)0600-1900
E)GRASS CUTTING WORKS ON APRON
PRESENCE OF MEN AND MACHINERY. CTN ADVISED.

A0595/09 NOTAMN

ACFT STANDS

Q)GMMM/QMPHW/IV/M/A/000/999/3543N00555W005
A)GMTT B)0908060700 C)0908311800
D)0700-1800
E)WIP REPAIRMENT AND MAINTENANCE OF PARKINGS.
PRESENCE OF MEN AND EQUIPMENT. CTN ADVISED

Latest AIP Amendments:

AIP Supplements in force:

END OF NOTAM List